

B03826A000200020022-7

25X1
25X1

1. IMAGE QUALITY: FAIR TO GOOD. PREDOMINANCE OF BROKEN/SCATTERED CLOUDS AND CLOUD SHADOWS LIMIT AMOUNT OF GOOD QUALITY IMAGERY; HOWEVER, BEST G-122 IMAGERY IS COMPARABLE TO PREVIOUS BEST. INTERP SUIT IS GOOD WHERE NOT DEGRADED BY WX CONDITIONS. CLOUDS OBSCURE APPROX 30 PCT OF ENTIRE MSN.

A. G-122, 3 JUN 70
B. I-2, 8007
C. A/C: 330
D. STEREO
E. T/O: 1035Z, C/ON: 1250Z
F. 3404
G. MX819-1, NRTSC
H. AVG GAMMA: 1.72
I. SLIT: 0.085 IN
J. FILTER: W-23A

8 JUN 70 21 09

3. ORIG NEG:

25X1

- A. EXP: GOOD
B. DENSITY AND CONTRAST: MED.
C. IMAGED DEG: NO FOG PATTERNS OTHER THAN THOSE CHARACTERISTIC
SYSTEM. AN UNSHARP, CONTINUOUS, MINUS DENSITY LINE PRESENT 1.2
S FROM NON-TITLED FILM EDGE BEGINNING FRAME 192 THRU END OF MEN. 1
D. PHYSICAL DEG: THREE HEAT AND ONE ULTRASONIC SPLICES NOTED
E. DATA RECORD EQUIP: FUNCTIONED PROPERLY.
F. OTHER: LAST TITLED FR 1004, COUNTER 1008, BIAS CONSTANT

THRUOUT.

4. POSITIVES: GOOD.

S E C R E T

EOM

GROUP ONE

SECRET

PRESENT
END OF MEN. DISTRIBUTION
LICES NOTED BY

CONSTANT	DATE	PI
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		
26		
27		
28		
29		
30		
31		
32		
33		
34		
35		
36		
37		
38		
39		
40		
41		
42		
43		
44		
45		
46		
47		
48		
49		
50		
51		
52		
53		
54		
55		
56		
57		
58		
59		
60		
61		
62		
63		
64		
65		
66		
67		
68		
69		
70		
71		
72		
73		
74		
75		
76		
77		
78		
79		
80		
81		
82		
83		
84		
85		
86		
87		
88		
89		
90		
91		
92		
93		
94		
95		
96		
97		
98		
99		
100		

3.4 1/15/52

ADVANCE COPY
SAMPLING
WITH REPORT